

# LABORCONTROL

g e o s i n t é t i c o s







**Geosynthetics Quality Assurance Control** 

ENAC Accredited Testing Laboratory with accreditation number 609/LE1351

Laboratory and on site tests

# Laborcontrol Geosintéticos



Laborcontrol Geosintéticos is a quality control laboratory exclusively dedicated to geosynthetics.

Since it was founded in 2004, we have taken part in many works throughout the Spanish territory carrying out quality control through works on site and laboratory tests.

Laborcontrol Geosintéticos owns a fully independent testing laboratory that guarantees the objectivity of the results. This makes it possible to offer a high quality service, fast and highly reliable.

All the laboratory and on-site tests are performed according to current standards (UNE, ASTM, EN, DIN, ISO ...) scrupulously following all the applicable normative in the different types of works.





As a result of our work, we are a company accredited by the National Accreditation Body (ENAC) according to the criteria in UNE-EN ISO/IEC 17025:2005 for the performance of laboratory and on-site tests in geosynthetics (accreditation number 609/LE1351).

# **Services offered**

### **Test Laboratory**

- Quality Control of Geosynthetic Materials and plastic pipes trough Laboratory Tests.
- Identification and characterization of materials
- Contrast tests
- Manufacturing quality assurance an manufacturing quality control of geosynthetics (MQA/MQC)







# Mobile laboratory for on site tests

•••• Construction quality assurance and construction quality control of geosynthetics materials (CQA/CQC)

- Destructive testing of thermofusion joints (peel test)
- Non-destructive testing of thermofusion and extrusion joints (waterproofing and sealing using the pressure air method, vacuum test, Spark Test)
- Control of the correct execution of anchors in berms, slopes and ditches
- Monitoring of all the details related to the materials and their installation
- Review of the support base

#### Technical advice

- Drafting of Quality Control plans in the project stage.
- Technical Assistance in quality control of geosynthetics.
- ••••• Drawing up of reports with quality assurance certificates.



These services are especially applicable in different types of works.

#### **Environmental Works**

- Landfills, security cells, landfill bodies in general.
- Lining and capping of landfills
- Green walls
- Leachate ponds

#### Hydraulic works

- Reservoirs and ponds for irrigation and Roads hydraulic infrastructure
- Channels and irrigation ditches
- Ornamental ponds
- Treatment plants lagoons
- Pipe networks

#### Civil Works

- Railways
- Tunnels
- Slopes



# Types of tests

#### Physical

Density Thickness Melt flow rate Foldability at low Heat behaviour Water absorption Mass per unit area Width Shore D hardness, IRHD Characteristic opening size Bentonite content Montmorillonite content Dry and wet direct shear

# Hydraulic

Water permeability Swell Index Water flow capacity Permeability in clay barriers Internal pressure resistance

#### On-site

Waterproofing and sealing of overlaps and joints using the pressure air method Vacuum test Spark test Peel test

#### Mechanical

Carbon black content

Carbon black dispersion

Tensile strength Elongation at break Tensile yield strength Elongation yield strength Static puncture resistance (CBR) Tear strength Peel resistance Dynamic perforation resistance by cone drop Compressive strength

# Durability and chemical resistance

Oxidation induction time Stress crack resistance using notched constant tensile load test (NCTL) Thermic aging Root penetration resistance Resistance to weathering Resistance to microorganisms Raw material identification (DSC)









Resistance to acid and alkaline elements



# Types of geosynthetic materials

#### Geomembranes

(polyethylene films, PVC, EPDM, Polypropylene, Rubber,...)

### Geotextiles

(woven, non-woven, Polyester, Polypropylene, Polyethylene ...)

### **Related Products**

(geogrids, geomats, geocells, geonets)

# Geocomposites

(drainage, bentonite,...)

# Plastic pipes

(PE, PVC,...)







# LABORCONTROL

geosintéticos

Polígono Mercalicante Ctra. Madrid,Km. 4, Pabellón Central, Planta 1<sup>a</sup> 03007 Alicante (ESPAÑA)

Teléfonos +34 966 080 792 - +34 965 113 647

Fax: +34 966 308 242 E-Mail: administracion@laborcontrol.es

www.laborcontrol.es